EDO WALL SCONCE



DIMENSIONAL DRAWING

FITTING INFORMATION

Body

Material : External Colour Options: Internal colour: Size : Cleaning : Aluminium Gold anodised, Flat White or Flat Black powder coat Classic White powder coat Ø186 x H60mm Damp cloth with mild detergent

Reflector

Size: Material: Colour Options: Cleaning : Note: Ø150mm Aluminium Flat White or Flat Black powder coat finish Damp cloth with mild detergent Mirror option is also available

Mounting

Wall mount footprint:

Application

Non Dim - IP54 PHASE Dim - IP20 DALI Dim - IP54

TECHNICAL DATA

Lamp

Integrated LED Strip, CRI90, 3000K, 7.2W, 330Im

Ø126mm

Switching & Dimming

0 -	0
Switching:	Hardwired to power supply, wall switched
Dimming:	Remote Non-Dim, PHASE and DALI available


.IES & .RFA files upon request

PHOTOMETRIC DATA

Edo Small



©2024 Specifications are subject to change without notice. Contact: sales@ismobjects.com.au





EDO WALL SCONCE






ORDER INFO

Product range - Model number - Finish/Colour

(Outer Shield / Reflector)	Remote Non-Dim	Remote PHASE-Dim	Remote DALI-Dim	Remote Non-Dim-IP54	Remote DALI-dim IP54
FLAT WHITE/FLAT WHITE PC	EO-W01-116	EO-W52-116	EO-W07-116	EO-W10-116	EO-W16-116
FLAT WHITE/FLAT BLACK PC	EO-W01-115	EO-W52-115	EO-W07-115	EO-W10-115	EO-W16-115
FLAT WHITE PC/MIRROR	EO-W01-154	EO-W52-154	EO-W07-154	EO-W10-154	EO-W16-154
FLAT BLACK/FLAT WHITE PC	EO-W02-116	EO-W53-116	EO-W08-116	EO-W11-116	EO-W17-116
FLAT BLACK/FLAT BLACK PC	EO-W02-115	EO-W53-115	EO-W08-115	EO-W11-115	EO-W17-115
FLAT BLACK PC/MIRROR	EO-W02-154	EO-W53-154	EO-W08-154	EO-W11-154	EO-W17-154
BRUSHED GOLD ANOD/FLAT WHITE PC	EO-W03-116	EO-W54-116	EO-W09-116	EO-W12-116	EO-W18-116
BRUSHED GOLD ANOD/FLAT BLACK PC	EO-W03-115	EO-W54-115	EO-W09-115	EO-W12-115	EO-W18-115
BRUSHED GOLD ANOD/MIRROR	EO-W03-154	EO-W54-154	EO-W09-154	EO-W12-154	EO-W18-154






WALL SCONCE

Spun in aluminium, Edo available in a choice of metallic anodised colours and powdercoated monochrome finishes in many combinations. The light source is cleverly reflected from inside the fitting to provide a practical lumen output.

The Edo can also come with IP54 rating for bathroom or wet areas.



©2024 Specifications are subject to change without notice. Contact: sales@ismobjects.com.au

cts.com.au